

IN THE CLAIMS

Please amend the claims to read as follows:

1. (Canceled)
2. (Canceled)
3. (Canceled)
4. (Canceled)
5. (Canceled)
6. (Canceled)
7. (Canceled)
8. (Canceled)
9. (Canceled)
10. (Canceled)

11. (Currently Amended) A network lurking agent operable in a Scalable Infrastructure-system, the network lurking agent comprising:
an inquirer designed to place an inquiry in a JavaSpace persistent store ~~called a Space~~
~~the Space-store, the JavaSpace persistent store~~ part of the Scalable Infrastructure-system; and
a lurker designed to retrieve from the ~~Space~~ JavaSpace persistent store a response to the inquiry to determine the availability of a user in an environment.

12. (Previously Presented) A network lurking agent according to claim 11, the network lurking agent further comprising a sender designed to send a message when the response indicates the user is not in available in the environment.

13. (Currently Amended) A network lurking agent according to claim 11, the network lurking agent further comprising a receiver designed to receive a message from the ~~Space~~, JavaSpace persistent store.

14. (Currently Amended) A ~~Sealable Infrastructure-system~~ designed to support network lurking, the ~~Sealable Infrastructure-system~~ comprising:

a ~~JavaSpace persistent store called a Space, the Space part of the Sealable Infrastructure-system;~~ store;

an environment setting stored in the ~~Space~~, JavaSpace persistent store, the environment setting including the availability of a device in an environment;

a network receiving agent designed to receive an inquiry about the availability of the device in the environment from the ~~Space~~, JavaSpace persistent store; and

a network lurking agent designed to place the inquiry in the ~~Space~~, JavaSpace persistent store.

15. (Canceled)

16. (Currently Amended) A ~~Sealable Infrastructure-system~~ according to claim 14, wherein the ~~Sealable Infrastructure-system~~ notifies the network receiving agent about the inquiry when the network lurking agent places the inquiry in the ~~Space~~, JavaSpace persistent store.

17. (Canceled)

18. (Currently Amended) A ~~Sealable Infrastructure-system~~ according to claim 14, wherein the network receiving agent and the network lurking agent are designed to open devices as a result of the inquiry, the devices enabling communication.

19. (Currently Amended) A ~~Sealable Infrastructure-system~~ according to claim 14, wherein;

the network lurking agent is designed to place a message in the ~~Space~~, JavaSpace persistent store if the inquiry is refused; and

the network receiver is designed to refuse the inquiry and to receive the message from the ~~Space~~, JavaSpace persistent store.

20. (Canceled)
21. (Canceled)
22. (Canceled)
23. (Canceled)
24. (Canceled)
25. (Canceled)
26. (Canceled)
27. (Previously Presented) A method according to claim 42, the method further comprising responding to the inquiry by a network receiving agent.
28. (Original) A method according to claim 27, wherein responding to the inquiry includes accessing devices by the network lurking agent and the network receiving agent to enable communication.
29. (Currently Amended) A method according to claim 27, wherein responding to the inquiry includes:
- refusing the inquiry by the network receiving agent;
 - placing a message in the ~~Space~~ JavaSpace persistent store by the network lurking agent;
 - retrieving the message from the ~~Space~~ JavaSpace persistent store by the network receiving agent; and
 - storing the message for later access from the environment.
30. (Currently Amended) A method according to claim 27, wherein responding to the inquiry includes:

placing a message in the Space-~~Java~~Space persistent store by the network receiving agent;
retrieving the message from the Space-~~Java~~Space persistent store by the network lurking agent; and
receiving the message at the network lurking agent.

31. (Previously Presented) A computer-readable medium containing a program to use a network lurking agent to electronically lurk to a location on a computer system, the program being executable on the computer system to implement the method of claim 42.

32. (Canceled)

33. (Canceled)

34. (Canceled)

35. (Canceled)

36. (Canceled)

37. (Canceled)

38. (Previously Presented) An apparatus according to claim 44, the apparatus further comprising means for responding to the inquiry by a network receiving agent.

39. (Original) An apparatus according to claim 38, wherein the means for responding includes means for accessing devices by the network lurking agent and the network receiving agent to enable communication.

40. (Currently Amended) An apparatus according to claim 38, wherein the means for responding includes:
means for refusing the inquiry by the network receiving agent;

means for placing a message in the Space-~~JavaSpace~~ persistent store by the network lurking agent;

means for retrieving the message from the Space-~~JavaSpace~~ persistent store by the network receiving agent; and

means for storing the message for later access from the environment.

41. (Currently Amended) An apparatus according to claim 38, wherein the means for responding includes:

means for placing a message in the Space-~~JavaSpace~~ persistent store by the network receiving agent;

means for retrieving the message from the Space-~~JavaSpace~~ persistent store by the network lurking agent; and

means for receiving the message at the network lurking agent.

42. (Currently Amended) A method for using a network lurking agent to electronically lurk to an environment in a ~~Sealable-Infrastructure-system~~, the method comprising:

identifying an environment of interest; and

placing an inquiry as to the availability of a user in the environment of interest in a JavaSpace persistent store called a ~~Space-store~~, the ~~Space-~~JavaSpace~~ persistent store~~ part of the ~~Sealable-Infrastructure-system~~.

43. (Currently Amended) A method according to claim 27, wherein responding to the inquiry includes determining the availability of a user in the environment according to an environment setting in the ~~Space-~~JavaSpace~~ persistent store~~.

44. (Currently Amended) An apparatus for using a network lurking agent to electronically lurk to an environment in a ~~Sealable-Infrastructure-system~~, the apparatus comprising:

means for identifying an environment of interest; and

means for placing an inquiry as to the availability of a user in the environment of interest in a JavaSpace persistent store called a ~~Space-store~~, the ~~Space-~~JavaSpace~~ persistent store~~ part of the ~~Sealable-Infrastructure-system~~.

45. (Currently Amended) An apparatus according to claim 38, wherein the means for responding includes means for determining the availability of a user in the environment according to an environment setting in the ~~Space~~ JavaSpace persistent store.